

# SAFETY DATA SHEET

In accordance with Regulation (EC) No 1907/2006 and Regulation (EU) No 2020/878



## ACEITE MORA CERAMICAS BRILLO

Version 25 (replaces version 24)

Review date: 07/25/2024

Page 1 of 9  
Date of printing: 05/08/2024

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE COMPANY OR COMPANY.

#### 1.1 Product Identifier.

Product Name: ACEITE MORA CERAMICAS BRILLO  
Product Code: 8436005130091  
Code **UFI**: **ES00-F0H8-W00F-SA86**

#### 1.2 Identified relevant uses of the substance or mixture and disrecommended uses.

Protection and decoration for clay floors and porous surfaces in general.

#### 1.3 Data from the safety data sheet provider.

Enterprise: **INDUSTRIAL MORA DE BARNICES, S.L.**  
Address: P.I. LA PAHILLA, C/ EL COLLAO, 21  
town: CHIVA  
Province: VALENCE  
Country: SPAIN  
Telephone: +34 962520160  
Fax: +34 962520720  
Email: [dpto.tecnico@barnices-mora.com](mailto:dpto.tecnico@barnices-mora.com)  
Web: [www.barnices-mora.com](http://www.barnices-mora.com)

#### 1.4 Emergency telephone: +34 962520160 (Only available during office hours)

In the event of an accident, consult the Medical Toxicological Information Service Tel. (+34) 91 562 04 20 (Available 24 hours)

### SECTION 2: IDENTIFICATION OF HAZARDS.

#### 2.1 Classification of the substance or mixture.

according to Regulation (EU) No 1907/2006 ~ 2021/848 (CLP)

Aquatic Chronic 2 : Toxic to aquatic organisms, with long-lasting harmful effects.

Flam. Liq. 3 : Flammable liquids and vapours.

STOT SE 3 : May irritate the airways.

STOT SE 3 : May cause drowsiness or vertigo.

#### 2.2 Elements of the label.

##### Labelling in accordance with Regulation (EU) No 1272/2008~2021/849 (CLP):

Pictograms:



Word of Caution:

#### **Attention**

H-Phrases:

H226 Flammable liquids and vapours.  
H335 It can irritate the airways.  
H336 It can cause drowsiness or vertigo.  
H411 Toxic to aquatic organisms, with long-lasting harmful effects.

P Phrases:

P210 Keep away from heat, hot surfaces, sparks, open flames, and any other source of ignition. Do not smoke.  
P261 Avoid breathing dust/smoke/gas/mist/vapors/aerosol.  
P273 Avoid its release into the environment.  
P301+P310 IF INGESTION: Call a POISON CENTER/medical outlet immediately.

-Continúa en la página siguiente.-

# SAFETY DATA SHEET

In accordance with Regulation (EC) No 1907/2006 and Regulation (EU) No 2020/878



## ACEITE MORA CERAMICAS BRILLO

Page 2 of 9

Version 25 (replaces version 24)

Review date: 07/25/2024

Date of printing: 05/08/2024

P331 DO NOT cause vomiting.  
P370+P378 In case of fire: Use... for extinction.  
P403+P235 Store in a well-ventilated place. Keep in a cool place.

### Contains:

Hydrocarbons, C9, aromatics  
Contains VOCs max. 316. g/l – (The limit value Phase II A cat. c) for the ready-to-use product is VOC max. 430. Good game.  
Benzene content < 0.1%.

### 2.3 Other hazards.

Under normal use and in its original form, the product has no other negative effects on health and the environment.

## SECTION 3: COMPOSITION/INFORMATION ON COMPONENTS.

### 3.1 Substances.

Not applicable.

### 3.2 Mixtures.

Substances that pose a hazard to health or the environment in accordance with Regulation (EC) No. 1272/2008, have a Community workplace exposure limit assigned, are classified as PBT/vPvB or included in the Candidate List:

Identifiers	Name	Concentration	(*) Classification - Regulation 1272/2008	
			Classification	Specific concentration limits
CAS N.: 64742-95-6 Registration number: 01-2119455851-35-XXXX	Hydrocarbons, C9, aromatics	25 - 75 %	Aquatic Chronic 2, H411 - Asp. Tox. 1, H304 - Flam. Liq. 3, H226 - STOT SE 3, H335 - STOT SE 3, H336	-
CAS N.: 22464-99-9 CE N.: 245-018-1	[1] 2-ethylhexaenoic acid, zirconium salt	0 - 3 %	-	-
CAS N.: 15956-58-8 CE N.: 240-085-3	[1] 2-ethylhexaenoic acid, manganese salt	0 - 2.5 %	-	-

(\*) The full text of the H-phrases is detailed in section 16 of this Safety Data Sheet.

[1] A substance to which a Community workplace exposure limit applies (see section 8.1).

## SECTION 4: FIRST AID.

### 4.1 Description of first aid.

In cases of doubt, or when symptoms of discomfort persist, seek medical attention. Never administer anything orally to people who are unconscious.

#### Inhalation.

Place the injured person outdoors, keep them warm and at rest, if breathing is irregular or stops, practice artificial respiration. Do not administer anything by mouth. If he is unconscious, put him in a suitable position and seek medical help.

#### Eye contact.

Remove contact lenses, if you wear it and it is easy to do. Wash your eyes thoroughly with clean, fresh water for at least 10 minutes, pulling up on your eyelids and seek medical assistance.

#### Skin contact.

Remove contaminated clothing. Wash the skin vigorously with soap and water or a suitable skin cleanser. NEVER use solvents or thinners.

#### Ingestion.

If it has been accidentally swallowed, seek medical attention immediately. Keep him at rest. NEVER induce vomiting.

-Continúa en la página siguiente.-

# SAFETY DATA SHEET

In accordance with Regulation (EC) No 1907/2006 and Regulation (EU) No 2020/878



## ACEITE MORA CERAMICAS BRILLO

Version 25 (replaces version 24)

Review date: 07/25/2024

Page 3 of 9  
Date of printing: 05/08/2024

### 4.2 Main symptoms and effects, acute and delayed.

Irritant, repeated or prolonged contact with the skin or mucous membranes may cause redness, blistering or dermatitis, inhalation of spray mist or suspended particles may cause irritation of the respiratory tract, some of the symptoms may not be immediate. Harmful product, prolonged exposure by inhalation can cause anesthetic effects and the need for immediate medical assistance.

### 4.3 Indication of any medical care and special treatments to be provided immediately.

In cases of doubt, or when symptoms of discomfort persist, seek medical attention. Never administer anything orally to people who are unconscious. Do not induce vomiting. If the person vomits, clear the airway.

## SECTION 5: FIRE-FIGHTING MEASURES.

Flammable product, the necessary prevention measures must be taken to avoid risks, in case of fire the following measures are recommended:

### 5.1 Means of extinguishing.

#### Appropriate means of extinguishing:

Fire extinguisher powder or CO<sub>2</sub>. In case of more serious fires also alcohol-resistant foam and water spray.

#### Inappropriate means of extinguishing:

Do not use a direct jet of water for extinguishing. In the presence of electrical voltage it is not acceptable to use water or foam as a means of extinguishing.

### 5.2 Specific hazards arising from the substance or mixture.

#### Special risks.

Fire can produce thick black smoke. As a result of thermal decomposition, dangerous products can be formed: carbon monoxide, carbon dioxide. Exposure to combustion or spoilage products can be harmful to health.

During a fire and depending on its magnitude, the following can occur:

- Flammable vapors or gases.

### 5.3 Recommendations for firefighting personnel.

Cool tanks, cisterns or containers near the source of heat or fire with water. Take into account the direction of the wind. Prevent products used in firefighting from entering drains, sewers or watercourses. Product residues and extinguishing media can contaminate the aquatic environment. Follow the instructions outlined in the fire evacuation and emergency plan(s) if available.

#### Fire protection equipment.

Depending on the magnitude of the fire, the use of heat protection suits, self-contained breathing equipment, gloves, goggles or face masks and boots may be necessary. During extinguishing and depending on the magnitude and proximity to the fire, additional protective equipment such as chemical protective gloves, heat-reflective suits or gas-tight suits may be necessary.

## SECTION 6: MEASURES IN CASE OF ACCIDENTAL SPILLAGE.

### 6.1 Personal precautions, protective equipment, and emergency procedures.

Eliminate possible ignition points and electrostatic charges, ventilate the area. Do not smoke. Avoid breathing in the fumes. For exposure control and personal protective measures, see section 8.

### 6.2 Environmental precautions.

Environmentally hazardous product, in the event of large spills or if the product contaminates lakes, rivers or sewers, inform the competent authorities, according to local legislation. Avoid contamination of drains, surface or groundwater, as well as soil.

### 6.3 Containment and cleaning methods and material.

Contain and collect the spill with inert absorbent material (soil, sand, vermiculite, diatomaceous earth, etc.) and clean the area immediately with a suitable decontaminant.

Deposit waste in closed containers suitable for disposal, in accordance with local and national regulations (see section 13).

### 6.4 Reference to Other Sections.

For exposure control and personal protective measures, see section 8.

For waste disposal, follow the recommendations in section 13.

# SAFETY DATA SHEET

In accordance with Regulation (EC) No 1907/2006 and Regulation (EU) No 2020/878



## ACEITE MORA CERAMICAS BRILLO

Page 4 of 9

Version 25 (replaces version 24)

Review date: 07/25/2024

Date of printing: 05/08/2024

### SECTION 7: HANDLING AND STORAGE.

#### 7.1 Precautions for safe handling.

The vapors are heavier than air and can spread across the ground. They can form explosive mixtures with air. Avoid the creation of flammable or explosive concentrations of vapour in the air; Avoid vapour concentrations above the exposure limits during work. The product should only be used in areas where all unprotected flames and other ignition points have been removed. Electrical equipment must be protected according to appropriate standards.

The product can be electrostatically charged: always use earthing sockets when transferring the product. Operators must wear antistatic footwear and clothing, and floors must be conductive.

Keep the container tightly closed, isolated from heat sources, sparks and fire. Tools that can produce sparks should not be used. Avoid contact with skin and eyes. Avoid steam inhalation and mists that occur during spraying. For personal protection, see section 8.

Smoking, eating and drinking must be prohibited in the area of application.

Comply with legislation on safety and hygiene at work.

Never use pressure to empty the containers, they are not pressure-resistant containers. Store the product in packaging of a material identical to the original.

#### 7.2 Safe storage conditions, including possible incompatibilities.

Store according to local legislation. Observe the indications on the label. Store containers between 5 and 25 °C, in a dry and well-ventilated place, away from heat sources and direct sunlight. Keep away from ignition points. Keep away from oxidizing agents and strongly acidic or alkaline materials. Do not smoke. Prevent unauthorized persons from entering. Once the containers have been opened, they must be carefully resealed and placed vertically to prevent spillage.

The product is not affected by Directive 2012/18/EU (SEVESO III).

#### 7.3 Specific end-uses.

Unavailable.

### SECTION 8: EXPOSURE/PERSONAL PROTECTION CONTROLS.

#### 8.1 Control parameters.

Exposure limit during work for:

Name	N. CAS	Country	Limit value	ppm	mg/m3
2-ethylhexanoic acid, zirconium salt	22464-99-9	Spain [1]	Eight hours		5 (Zirconium and compounds, such as Zr)
			Short term		10 (Zirconium and compounds, such as Zr)
2-Ethylhexanoic acid, manganese salt	15956-58-8	Spain [1]	Eight hours		0.2 Inhalable fraction, (As Mn), 0.05 Respirable fraction, (As Mn)
			Short term		

[1] According to the list of Environmental Occupational Exposure Limit Values adopted by the National Institute for Occupational Safety and Health (INSST) for the year 2018.

The product does NOT contain substances with Biological Limit Values.

#### 8.2 Exposure controls.

##### Technical measures:

Provide adequate ventilation, which can be achieved through good local extraction-ventilation and a good general extraction system.

Concentration:	100 %
Uses:	
Respiratory protection:	
EPI:	Filter mask for protection against gases and particles

- Continúa en la página siguiente. -

# SAFETY DATA SHEET

In accordance with Regulation (EC) No 1907/2006 and Regulation (EU) No 2020/878



## ACEITE MORA CERAMICAS BRILLO

Page 5 of 9

Version 25 (replaces version 24)

Review date: 07/25/2024

Date of printing: 05/08/2024

Characteristics:	CE marking Category III. The mask must have a wide field of vision and anatomical shape to offer watertightness and watertightness.				
CEN Standards:	EN 136, EN 140, EN 405				
Maintenance:	It should not be stored in places exposed to high temperatures and humid environments before use. The condition of the inhalation and exhalation valves of the face adapter should be especially monitored. The manufacturer's instructions regarding the use and maintenance of the equipment should be read carefully. The necessary filters will be attached to the equipment according to the specific characteristics of the risk (Particles and aerosols: P1-P2-P3, Gases and vapours: A-B-E-K-AX) and changed as advised by the manufacturer.				
Remarks:					
Type of filter needed:	A2				
<b>Hand protection:</b>					
EPI:	Chemical protection gloves				
Characteristics:	CE marking Category III.				
CEN Standards:	EN 374-1, EN 374-2, EN 374-3, EN 420				
Maintenance:	They should be stored in a dry place, away from possible sources of heat, and exposure to sunlight should be avoided as much as possible. No modifications will be made to the gloves that may alter their resistance, nor will paints, solvents or adhesives be applied.				
Remarks:	Gloves should be the right size, and fit in the hand without being too loose or too tight. They should always be used with clean and dry hands.				
Material:	PVC (Polyvinyl Chloride)	Penetration time (min.):	> 480	Material thickness (mm):	0,35
<b>Eye protection:</b>					
EPI:	Full-frame goggles				
Characteristics:	CE marking Category II. Full-frame eye protector for protection against splashes of liquids, dust, fumes, mists and vapours.				
CEN Standards:	EN 165, EN 166, EN 167, EN 168				
Maintenance:	Visibility through the eyepieces must be optimal, for which these elements must be cleaned daily, the protectors must be disinfected periodically following the manufacturer's instructions.				
Remarks:	Indicators of deterioration can be: yellow coloration of the eyepieces, superficial scratches on the eyepieces, tears, etc.				
<b>Skin protection:</b>					
EPI:	Protective clothing with antistatic properties				
Characteristics:	CE marking Category II. Protective clothing should not be narrow or loose so that it does not interfere with the wearer's movements.				
CEN Standards:	EN 340, EN 1149-1, EN 1149-2, EN 1149-3, EN 1149-5				
Maintenance:	The washing and storage instructions provided by the manufacturer must be followed to ensure unchanging protection.				
Remarks:	Protective clothing should provide a level of comfort consistent with the level of protection it should provide against the risk it protects against, with the environmental conditions, the level of activity of the wearer and the expected time of use.				
EPI:	Protective footwear with antistatic properties				
Characteristics:	CE marking Category II.				
CEN Standards:	EN ISO 13287, EN ISO 20344, EN ISO 20346				
Maintenance:	Footwear must be subject to regular control, if its condition is deficient it must be stopped and replaced. Comfort of use and acceptability are factors that are valued very differently depending on the individual.				
Remarks:	Therefore, it is advisable to try different models of footwear and, if possible, different widths.				

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

#### 9.1 Information on basic physical and chemical properties.

9.1 Appearance:	Liquid with a typical appearance of oils, and derivatives
9.2 Smell:	Characteristic of the solvent
9.3 pH:	Insoluble in water.
9.4 Boiling temperature (°C):	145 - 200 °C
9.5 P.vapor (mm.):	3 mm.Hg a 25 °C
9.6 Specific Gravity:	0.890+/-0.050 g/cm <sup>3</sup> at 25 °C

-Continúa en la página siguiente.-

# SAFETY DATA SHEET

In accordance with Regulation (EC) No 1907/2006 and Regulation (EU) No 2020/878



## ACEITE MORA CERAMICAS BRILLO

Version 25 (replaces version 24)

Review date: 07/25/2024

Page 6 of 9  
Date of printing: 05/08/2024

**9.7 Pt. inflammation (°C):** >47 °C

**9.8 Solubility:** Aromatic, insoluble in alcohols.

**9.9 Viscosity :** 19. sec. CF4 90 C.C. at 20°C ISO2431

### 9.2 Other data.

N.D./N.A.= Not Available/Not Applicable due to the nature of the product.

## SECTION 10: STABILITY AND REACTIVITY.

### 10.1 Reactivity.

If the storage conditions are met, it does not produce dangerous reactions.

### 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

### 10.3 Possibility of dangerous reactions.

Flammable liquids and vapours.

### 10.4 Conditions to be avoided.

Avoid the following conditions:

- High temperature.
- Static discharges.
- Contact with incompatible materials.
- Avoid temperatures close to the flash point, do not heat closed containers. Avoid direct sunlight and heating, risk of inflammation can occur.

### 10.5 Incompatible materials.

Avoid the following materials:

- Explosive materials.
- Toxic materials.
- Oxidizing materials.

### 10.6 Hazardous Breakdown Products.

In the event of a fire, dangerous decomposition products such as carbon monoxide and dioxide, fumes and nitrogen oxides can be generated.

## SECTION 11: TOXICOLOGICAL INFORMATION.

IRRITANT MIXTURE. Inhalation of spray mist or suspended particles may cause irritation of the respiratory tract. It may also cause severe breathing difficulties, alteration of the central nervous system and in extreme cases unconsciousness.

11.1 Information on toxicological effects.

There is no tested data available for the product.

Repeated or prolonged contact with the product may cause the removal of fat from the skin, leading to non-allergic contact dermatitis and absorption of the product through the skin.

Splashes in the eyes may cause irritation.

## SECTION 12: ECOLOGICAL INFORMATION.

### 12.1 Toxicity.

Name	Ecotoxicity			
	Guy	Practice	Species	Value
C9 aromatic hydrocarbons CAS N.: 64742-95-6	Fishes	LC50	Fish	2.67 mg/l (96 h)
	Aquatic invertebrates	LC50	Crustacean	2.47 mg/l (48 h)

-Continúa en la página siguiente.-

# SAFETY DATA SHEET

In accordance with Regulation (EC) No 1907/2006 and Regulation (EU) No 2020/878



## ACEITE MORA CERAMICAS BRILLO

Version 25 (replaces version 24)

Review date: 07/25/2024

Page 7 of 9  
Date of printing: 05/08/2024

### 12.2 Persistence and degradability.

Easily biodegradable.

### 12.3 Bioaccumulation potential.

Information on the bioaccumulation of the substances present.

Name	Bioaccumulation			
	Log Pow	BCF	NOECs	Level
C9 aromatic hydrocarbons CAS N.: 64742-95-6	0,96	20,30		Moderate

### 12.4 Mobility on the ground.

There is no information available on mobility on the ground.  
The product should not be allowed to pass into sewers or waterways.  
Prevent penetration into the ground.

### 12.5 Results of the PBT and vPvB assessment.

It does not meet the PBT/vPvB criteria. Annex XIII to Regulation (EC) No 1907/2006:

Criteria (P=Persistent, B=Bioaccumulative, T=Toxic)

	Criteria (P=Persistent, B=Bioaccumulative, T=Toxic)	PBT criteria	mPmB criteria	Results	PBT/mPvB
<b>P</b>	Half-life in the marine environment: Half-life in fresh or estuarine water: Half-life in marine sediments: Half-life in freshwater or estuarine sediments: Half-life in soil:	> 60 Days > 40 Days > 180 Days > 120 Days > 180 Days	> 60 Days > 60 Days > 180 Days > 180 Days > 180 Days	<60 Days < 40 Days < 180 Days < 120 Days < 180 Days	NO NO NO NO NO
<b>B</b>	Bioconcentration factor (BCF):	2000-5000	> 5000	< 2000	NO
<b>T</b>	Long-term no-observed-effect concentration (NOEC) of freshwater or marine organisms:	< 0.01 mg/l	-	> 0.01 mg/l	NO
<b>T</b>	Carcinogenic, mutagenic or toxic effects on Reproduction (CMR):	< 0.01 mg/l	-	> 0.01 mg/l	NO
<b>T</b>	Chronic toxicity tests identified:	Yes.	-	NO	NO

### 12.6 Other adverse effects.

There is no information available on other adverse effects on the environment.

## SECTION 13: CONSIDERATIONS RELATING TO DISPOSAL.

### 13.1 Methods for waste treatment.

Their discharge into sewers or watercourses is not permitted. Waste and empty packaging must be handled and disposed of in accordance with applicable local/national legislation.  
Follow the provisions of Directive 2008/98/EC regarding waste management.

## SECTION 14: INFORMATION RELATING TO TRANSPORT.

Transport in accordance with ADR/TPC standards for road transport, RID by rail, IMDG by sea and ICAO/IATA for air transport.

**Land:** Road transport: ADR, Rail transport: RID.

Transport documentation: Consignment note and written instructions.

**Sea:** Transport by boat: IMDG.

Transport documentation: Bill of lading.

**Air:** Transport by plane: IATA/ICAO.

Transport document: Air waybill.

**14.1 UN number.** UN NO.: UN1263

**14.2 Official United Nations Transport Designation.**

- Continúa en la página siguiente. -

# SAFETY DATA SHEET

In accordance with Regulation (EC) No 1907/2006 and Regulation (EU) No 2020/878



## ACEITE MORA CERAMICAS BRILLO

Version 25 (replaces version 24)

Review date: 07/25/2024

Page 8 of 9  
Date of printing: 05/08/2024

Description:

ADR: UN 1263, PAINT, 3, GE III, (D/E)

IMDG: UN 1263, PAINT (HYDROCARBONS, C9, AROMATICS), 3, GE/E III, MARINE POLLUTANT

ICAO/IATA: UN 1263, PAINT, 3, GE III

### 14.3 Transport hazard class(es).

Class(s): 3

### 14.4 Packaging group.

Packing Group: III

### 14.5 Hazards to the environment.

Marine pollutant: Yes



Hazardous to the environment

### 14.6 Particular precautions for users.

Tags: 3



Hazard Number: 30

ADR limited quantity: 5 L

IMDG Limited Quantity: 5 L

ICAO Limited Quantity: 10 L

Provisions relating to bulk transport in ADR: Bulk transport is not authorised under ADR.

Transport by boat, FEm - Emergency sheets (F – Fire, S – Spills): F-E,S-E

Act according to point 6.

### 14.7 Bulk transport in accordance with Annex II of the MARPOL Convention and the IBC Code.

The product is not affected by bulk transport on ships.

## SECTION 15: REGULATORY INFORMATION.

### 15.1 Safety, health and environmental legislation and regulations specific to the substance or mixture.

The product is not covered by Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): N/A

The product is not affected by Regulation (EU) No 528/2012 concerning the placing on the market and use of biocidal products.

The product is not affected by the procedure laid down in Regulation (EU) No 649/2012 on the export and import of hazardous chemicals.

### 15.2 Chemical safety assessment.

A chemical safety assessment of the product has not been carried out.

## SECTION 16: OTHER INFORMATION.

-Continúa en la página siguiente.-



# SAFETY DATA SHEET

In accordance with Regulation (EC) No 1907/2006 and Regulation (EU) No 2020/878



## ACEITE MORA CERAMICAS BRILLO

Page 9 of 9

Version 25 (replaces version 24)

Review date: 07/25/2024

Date of printing: 05/08/2024

Full text of the H phrases that appear in section 3:

H226	Flammable liquids and vapours.
H319	It causes serious eye irritation.
H335	It can irritate the airways.
H336	It can cause drowsiness or vertigo.
H361	It is suspected that it may impair fertility or harm the fetus.
H361D	It is suspected of harming the fetus.
H411	Toxic to aquatic organisms, with long-lasting harmful effects.

Classification Codes:

Aquatic Chronic 2 : Chronic Effects on the Aquatic Environment, Category 2

Eye Irrit. 2 : Eye Irritation, Category 2

Flam. Liq. 3 : Flammable liquid, Category 3

Rep. 2 : Toxic to reproduction, Category 2

STOT SE 3 : Toxicity to certain organs after single exposure, Category 3

### Classification and procedure used to determine the classification of mixtures under Regulation (EC) No 1272/2008 [CLP]:

Physical Hazards	Based on data obtained from the tests	Health hazards	Calculation method	Environmental hazards
	Calculation method			

It is advisable to carry out basic training regarding occupational safety and hygiene to carry out correct handling of the product.

Abbreviations and acronyms used:

ADR: European Agreement on the International Carriage of Dangerous Goods by Road.

CEN: European Committee for Standardization.

EPI: Personal protective equipment.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organization.

IMDG: International Maritime Dangerous Goods Code.

RID: Regulation concerning the international transport of dangerous goods by rail.

Main bibliographic references and data sources:

<http://eur-lex.europa.eu/homepage.html>

<http://echa.europa.eu/>

Regulation (EU) 2015/830.

Regulation (EC) No 1907/2006.

Regulation (EU) No 1272/2008.

The information provided in this Safety Data Sheet in accordance with Article 31 of Regulation (EC) No. 1907/2006 (REACH) and the Annex to Regulation (EU) No. 2020/878. Y 2021/848 (CLP)

The information in this Product Safety Data Sheet is based on current knowledge and current EC and national laws, as the working conditions of users are beyond our knowledge and control. The product must not be used for purposes other than those specified, without first having a written instruction for its operation. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established in the legislation.