

NATIONAL DECLARATION OF PERFORMANCE

nr BMIX/D16/2024

1. Name and trade name of construction product:

- a. BAT. LOCO CHROM WANNOWA BEZ KOMPLETU NATRYSKOWEGO
- b. BAT. LOCO CHROM WANNOWA Z KOMPLETEM NATRYSKOWYM
- c. BAT. LOCO CHROM UMYWALKOWA STOJĄCA
- d. BAT. LOCO CHROM NATRYSKOWA BEZ KOMPLETU NATRYSKOWEGO
- e. BAT. IVO CHROM WANNOWA BEZ KOMPLETU NATRYSKOWEGO
- f. BAT. IVO CHROM WANNOWA Z KOMPLETEM NATRYSKOWYM
- g. BAT. IVO CHROM UMYWALKOWA STOJĄCA
- h. BAT. IVO CHROM NATRYSKOWA BEZ KOMPLETU NATRYSKOWEGO
- i. BAT. LOCO CHROM ZLEWOZMYWAKOWA Z WYLEWKĄ 'U'
- j. BAT. IVO CHROM ZLEWOZMYWAKOWA Z WYLEWKĄ 'U'
- k. BAT. SANO CHROM WANNOWA BEZ KOMPLETU NATRYSKOWEGO
- l. BAT. SANO CHROM UMYWALKOWA STOJĄCA
- m. BAT. SANO CHROM NATRYSKOWA BEZ KOMPLETU NATRYSKOWEGO

2. Type designation of the construction product: sanitary faucets under codes:

- | | | |
|-------------|-------------|-------------|
| a. BLC 010M | f. BLI 011M | k. BLN 010M |
| b. BLC 011M | g. BLI 020M | l. BLN 020M |
| c. BLC 020M | h. BLI 040M | m. BLN 040M |
| d. BLC 040M | i. BLC 062M | |
| e. BLI 010M | j. BLI 062M | |

3. Intended use or uses: used for equipping sanitary devices installed in the rooms used for hygienic purposes (dressing rooms, bathrooms etc.) and kitchens.
4. Name and address of the manufacture: Deante sp. z o.o. Ul. Twarda 11/13, 95-100 Zgierz, Chiny
5. Name and address of the authorized representative if it has been established: n/a.
6. The national system used to assess and verify the constancy of performance: 4.
7. National technical specification:
- a. Polish product standard: PN-EN 817:2025-02.

Name of the accredited certification body, accreditation number and national certificate number, or name of the accredited laboratory/laboratories and accreditation number: not applicable.

b. National technical assessment: not applicable.

Technical assessment body / national technical assessment body: not applicable.

Name of the accredited certification body, accreditation number and certificate number: not applicable.

8. Declared performances:

Essential characteristics of the construction product for the intended use or uses	Declared performances	Remark
Materials	Pass	
Dimensional characteristics	Pass	
Leaktightness characteristics	Pass	

www.deante.pl

Essential characteristics of the construction product for the intended use or uses	Declared performances	Remark
Pressure resistance characteristics	Pass	
HYDRAULIC CHARACTERISTICS (FLOW RATE): class	Pass for pressure 0,3 MPA a. BLC 010M – S b. BLC 011M – S c. BLC 020M – A d. BLC 040M – S e. BLI 010M – S f. BLI 011M – S g. BLI 020M – A h. BLI 040M – A i. BLC 062M – Z j. BLI 062M – Z k. BLN 010M – A l. BLN 020M – Z m. BLN 040M – A	
Mechanical strength characteristics	Pass	
Mecanical endurance characteristics	Pass	
Backflow protection	Pass	
Acoustic characteristics: group	a. BLC 010M – grup II b. BLC 011M – grup II c. BLC 020M – grup II d. BLC 040M – grup II e. BLI 010M – grup II f. BLI 011M – grup II g. BLI 020M – grup II h. BLI 040M – grup II i. BLC 062M – grup II j. BLI 062M – grup II k. BLN 010M – grup II l. BLN 020M – grup II m. BLN 040M – grup II	

9. The performances of the product identified above are compatible with all declared performances listed in point 8. Presented national declaration of performance is issued in accordance with the Act of 16th April 2004 on construction products, on the sole responsibility of the manufacture.

Signed for and on behalf of the manufacturer by:

Zgierz, 17-01-2024

Update: 03-03-2025, II 28-03-2025

III 10-02-2026, IV 18-05-2026, V 06-07-2026

VI 03-09-2026



deante
Wojciech Borkowski
Chief Executive Officer
Wojciech Borkowski
CEO

